

	Modell / model	Spannweite / wingspan	Gewicht / weight	Motor / motor	Regler / ESC	Luftschraube / propeller	Strom A / current A	Zellen / cells	Drehzahl (1/min) / KV (1/min)
Segler bis 1,5 kg / glider up to 1,5 kg	Bandit	1,4 m	1,1 kg	KIRA 480-38 5,2:1	KOLIBRI 60 LV	13 x 8	ca. 38 A	3S 2.500 mAh	ca. 7.600
		1,4 m	1,1 kg	KIRA 500-36 6,7:1	KOLIBRI 90 LV	14 x 10	ca. 63 A	4S 2.500 mAh	ca. 7.000
	Espadita	2,0 m	1,4 kg	KIRA 400-27 5,2:1	KOLIBRI 60 LV	13 x 8	ca. 15 A	3S 1.800 - 2.500 mAh	ca. 5.300
		2,0 m	1,4 kg	KIRA 480-31 5,2:1	KOLIBRI 60 LV	15 x 8	ca. 34 A	3S 2.200 - 2.500 mAh	ca. 6.000
	Ariane V10	2,0 m	1,8 kg	KIRA 480-31 5,2:1	KOLIBRI 60 LV	15 x 8	ca. 34 A	3S 2.200 - 2.500 mAh	ca. 6.000
		2,0 m	1,8 kg	KIRA FAI F5F/4S		17 x 18 Gold +5°	ca. 240 A	4S 3.200 mAh	
	Excel Competition 3	2,2 m	1,8 kg	KIRA 480-31 5,2:1	KOLIBRI 60 LV	15 x 8	ca. 34 A	3S 2.200 - 2.500 mAh	ca. 6.000
		2,2 m	1,8 kg	KIRA 500-30 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 40 A	3S 2.200 - 2.500 mAh	ca. 4.600
		2,2 m	1,8 kg	KIRA 500-30 6,7:1	KOLIBRI 60 LV	17 x 9	ca. 50 A	4S 2.500 - 3.200 mAh	ca. 6.000
	Thyphoon	2,0 m	2 kg	KIRA 480-31 5,2:1	KOLIBRI 60 LV	15 x 8	ca. 34 A	3S 2.200 - 2.500 mAh	ca. 6.000
Segler 2,5 - 3 kg / glider up to 2,5 - 3 kg	Dragon, Dragonfly, Cumulus	2,9 - 3,7 m	2,5 - 3 kg	KIRA 500-26 6,7:1	KOLIBRI 60 LV	18,5 x 12	ca. 35 A	3S 2.200 - 2.500 mAh	ca. 4.000
		2,9 - 3,7 m	2,5 - 3 kg	KIRA 500-26 6,7:1	KOLIBRI 60 LV	18 x 9	ca. 40 A	4S 2.500 - 3.200 mAh	ca. 5.300
		2,9 - 3,7 m	2,5 - 3 kg	KIRA 500-26 6,7:1	KOLIBRI 60 LV	16 x 8	ca. 38 A	5S 2.500 - 3.200 mAh	ca. 6.800
		2,9 - 3,7 m	2,5 - 3 kg	KIRA 500-30 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 40 A	3S 2.200 - 2.500 mAh	ca. 4.600
		2,9 - 3,7 m	2,5 - 3 kg	KIRA 500-30 6,7:1	KOLIBRI 90 LV	17 x 9	ca. 50 A	4S 2.500 - 3.200 mAh	ca. 6.000
		2,9 - 3,7 m	2,5 - 3 kg	KIRA 500-36 6,7:1	KOLIBRI 90 LV	17 x 9	ca. 50 A	3S 2.200 - 2.500 mAh	ca. 5.400
		FS3000	2,9 m	2,5 - 3 kg	KIRA 600-38 6,7:1	KOLIBRI 90 LV	FS18,5x9 Eigenbau, Spinner 38, versetzt 70°	ca. 58A	3S 2200 mAh
Segler bis 3,5 kg / glider up to 3,5 kg	Viking 2 E	3,0 m	2,6 kg	KIRA 480-31 5,2:1	KOLIBRI 60 LV	15 x 8	ca. 34 A	3S 2.200 - 2.500 mAh	ca. 6.000
				KIRA 500-26 6,7:1	KOLIBRI 60 LV	18,5 x 12	ca. 35 A	3S 2.200 - 2.500 mAh	ca. 4.000
				KIRA 500-26 6,7:1	KOLIBRI 60 LV	18 x 9	ca. 40 A	4S 2.500 - 3.200 mAh	ca. 5.300
				KIRA 500-26 6,7:1	KOLIBRI 60 LV	16 x 8	ca. 38 A	5S 2.500 - 3.200 mAh	ca. 6.800
				KIRA 500-30 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 40 A	3S 2.200 - 2.500 mAh	ca. 4.600
				KIRA 500-30 6,7:1	KOLIBRI 60 LV	17 x 9	ca. 50 A	4S 2.500 - 3.200 mAh	ca. 6.000
				KIRA 500-36 6,7:1	KOLIBRI 60 LV	17 x 9	ca. 50 A	3S 2.200 - 2.500 mAh	ca. 5.400
	Turbo Faike, Xperience pro, Pace F4H,	2,5 - 3,3 m	2,7 - 3,5 kg	KIRA 500-26 6,7:1	KOLIBRI 60 LV	18,5 x 12	ca. 35 A	3S 2.200 - 2.500 mAh	ca. 4.000
	Kranich, Flamingo, FS14			KIRA 500-26 6,7:1	KOLIBRI 60 LV	18 x 9	ca. 40 A	4S 2.500 - 3.200 mAh	ca. 5.300
				KIRA 500-26 6,7:1	KOLIBRI 60 LV	16 x 8	ca. 38 A	5S 2.500 - 3.200 mAh	ca. 6.800
				KIRA 500-30 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 40 A	3S 2.200 - 2.500 mAh	ca. 4.600
				KIRA 500-30 6,7:1	KOLIBRI 90 LV	17 x 9	ca. 50 A	4S 2.500 - 3.200 mAh	ca. 6.000
				KIRA 500-36 6,7:1	KOLIBRI 90 LV	17 x 9	ca. 50 A	3S 2.200 - 2.500 mAh	ca. 5.400
Segler bis 4,0 kg / glider up to 4,0 kg	Atlanta, Schampus, Thermik XXL	3,5 - 3,7m	3,7 - 4 kg	KIRA 500-26 6,7:1	KOLIBRI 60 LV	18 x 9	ca. 40 A	4S 2.500 - 3.200 mAh	ca. 5.300
				KIRA 500-26 6,7:1	KOLIBRI 60 LV	16 x 8	ca. 38 A	5S 2.500 - 3.200 mAh	ca. 6.800
				KIRA 500-30 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 40 A	3S 2.200 - 2.500 mAh	ca. 4.600
				KIRA 500-30 6,7:1	KOLIBRI 90 LV	17 x 9	ca. 50 A	4S 2.500 - 3.200 mAh	ca. 6.000
				KIRA 500-36 6,7:1	KOLIBRI 90 LV	17 x 9	ca. 50 A	3S 2.200 - 2.500 mAh	ca. 5.400
				KIRA 600-20 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 36 A	5S 2.500 - 3.200 mAh	ca. 5.300
				KIRA 600-20 6,7:1	KOLIBRI 60 LV	18 x 9	ca. 42 A	6S 2.500 - 3.200 mAh	ca. 6.300
				KIRA 600-22 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 45 A	5S 2.500 - 3.200 mAh	ca. 5.600
				KIRA 600-22 6,7:1	KOLIBRI 90 LV	18 x 9	ca. 52 A	6S 3.200 mAh	ca. 6.700
				KIRA 600-24 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 42 A	4S 2.500 - 3.200 mAh	ca. 5.200
				KIRA 600-24 6,7:1	KOLIBRI 90 LV	18 x 9	ca. 55 A	5S Lipo 3.200 mAh	ca. 6.300
				KIRA 600-30 6,7:1	KOLIBRI 90 LV	18,5 x 12	ca. 52 A	3S 3.200 mAh	ca. 4.500
				KIRA 600-30 6,7:1	KOLIBRI 90 LV	18 x 9	ca. 60 A	4S 3.200 mAh	ca. 6.000
				KIRA 600-38 6,7:1	KOLIBRI 90 LV	17 x 9	ca. 65 A	3S 3.200 mAh	ca. 5.900
Segler bis 4,5 kg / glider up to 4,5 kg	FS4000	4,05 m	ca. 4,5 kg	KIRA 600-22 6,7:1	KOLIBRI 60 LV	FS18,5x9 Eigenbau, Spinner 38, versetzt 70°	ca. 38 A	6S 2.650 mAh	ca. 6.900
	FS4000XL, neu2014	4,35 m	ca. 4,8 kg	KIRA 600-22 6,7:1	KOLIBRI 60 LV	FS18,5x9 Eigenbau, Spinner 38, versetzt 70°	ca. 38 A	6S 2.650 mAh	ca. 6.900

	Modell / model	Spannweite / wingspan	Gewicht / weight	Motor / motor	Regler / ESC	Luftschraube / propeller	Strom A / current A	Zellen / cells	Drehzahl (1/min) / KV (1/min)
Segler bis 5,0 kg / glider up to 5,0 kg	Discus	4,0 m	4,3 kg	KIRA 500-26 6,7:1	KOLIBRI 60 LV	18 x 9	ca. 40 A	4S 2.500 - 3.200 mAh	ca. 5.300
		4,0 m	4,3 kg	KIRA 500-26 6,7:1	KOLIBRI 60 LV	16 x 8	ca. 38 A	5S 2.500 - 3.200 mAh	ca. 6.800
		4,0 m	4,3 kg	KIRA 500-30 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 40 A	3S 2.200 - 2.500 mAh	ca. 4.600
		4,0 m	4,3 kg	KIRA 500-30 6,7:1	KOLIBRI 90 LV	17 x 9	ca. 50 A	4S 2.500 - 3.200 mAh	ca. 6.000
		4,0 m	4,3 kg	KIRA 500-36 6,7:1	KOLIBRI 90 LV	17 x 9	ca. 50 A	3S 2.200 - 2.500 mAh	ca. 5.400
		4,0 m	4,3 kg	KIRA 600-16 6,7:1	KOLIBRI 60 LV	18,5 x 12	ca. 30 A	6S 2.200 - 2.500 mAh	ca. 4.600
		4,0 m	4,3 kg	KIRA 600-16 6,7:1	JIVE Pro 80+ HV	18 x 11	ca. 30 A	7S 2.200 - 2.500 mAh	ca. 5.400
		4,0 m	4,3 kg	KIRA 600-16 6,7:1	JIVE Pro 80+ HV	18 x 9	ca. 32 A	8S 2.200 - 2.500 mAh	ca. 6.200
		4,0 m	4,3 kg	KIRA 600-17 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 34 A	6S 2.200 - 2.500 mAh	ca. 5.300
		4,0 m	4,3 kg	KIRA 600-17 6,7:1	JIVE Pro 80+ HV	18 x 9	ca. 37 A	7S 2.200 - 2.500 mAh	ca. 6.100
		4,0 m	4,3 kg	KIRA 600-20 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 36 A	5S 2.500 - 3.200 mAh	ca. 5.300
		4,0 m	4,3 kg	KIRA 600-20 6,7:1	KOLIBRI 60 LV	18 x 9	ca. 42 A	6S 2.500 - 3.200 mAh	ca. 6.300
		4,0 m	4,3 kg	KIRA 600-22 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 45 A	5S 2.500 - 3.200 mAh	ca. 5.600
		4,0 m	4,3 kg	KIRA 600-22 6,7:1	KOLIBRI 90 LV	18 x 9	ca. 52 A	6S 3.200 mAh	ca. 6.700
		4,0 m	4,3 kg	KIRA 600-24 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 42 A	4S 2.500 - 3.200 mAh	ca. 5.200
		4,0 m	4,3 kg	KIRA 600-24 6,7:1	KOLIBRI 90 LV	18 x 9	ca. 55 A	5S Lipo 3.200 mAh	ca. 6.300
		4,0 m	4,3 kg	KIRA 600-30 6,7:1	KOLIBRI 60 LV	18,5 x 12	ca. 52 A	3S 3.200 mAh	ca. 4.500
		4,0 m	4,3 kg	KIRA 600-30 6,7:1	KOLIBRI 90 LV	18 x 9	ca. 60 A	4S 3.200 mAh	ca. 6.000
		4,0 m	4,3 kg	KIRA 600-38 6,7:1	KOLIBRI 90 LV	17 x 9	ca. 65 A	3S 3.200 mAh	ca. 5.900
	Tangent Alpina, Exel 4000, Alpina 4001		3,7 - 4,0 m	4,5 - 5 kg	KIRA 600-16 6,7:1	KOLIBRI 60 LV	18,5 x 12	ca. 30 A	6S 2.200 - 2.500 mAh
				KIRA 600-16 6,7:1	JIVE Pro 80+ HV	18 x 11	ca. 30 A	7S 2.200 - 2.500 mAh	ca. 5.400
				KIRA 600-16 6,7:1	JIVE Pro 80+ HV	18 x 9	ca. 32 A	8S 2.200 - 2.500 mAh	ca. 6.200
				KIRA 600-17 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 34 A	6S 2.200 - 2.500 mAh	ca. 5.300
				KIRA 600-17 6,7:1	JIVE Pro 80+ HV	18 x 9	ca. 37 A	7S 2.200 - 2.500 mAh	ca. 6.100
				KIRA 600-20 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 36 A	5S 2.500 - 3.200 mAh	ca. 5.300
				KIRA 600-20 6,7:1	KOLIBRI 60 LV	18 x 9	ca. 42 A	6S 2.500 - 3.200 mAh	ca. 6.300
				KIRA 600-22 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 45 A	5S 2.500 - 3.200 mAh	ca. 5.600
				KIRA 600-22 6,7:1	KOLIBRI 90 LV	18 x 9	ca. 52 A	6S 3.200 mAh	ca. 6.700
				KIRA 600-24 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 42 A	4S 2.500 - 3.200 mAh	ca. 5.200
				KIRA 600-24 6,7:1	KOLIBRI 90 LV	18 x 9	ca. 55 A	5S Lipo 3.200 mAh	ca. 6.300
				KIRA 600-30 6,7:1	KOLIBRI 90 LV	18,5 x 12	ca. 52 A	3S 3.200 mAh	ca. 4.500
				KIRA 600-30 6,7:1	KOLIBRI 90 LV	18 x 9	ca. 60 A	4S 3.200 mAh	ca. 6.000
				KIRA 600-38 6,7:1	KOLIBRI 90 LV	17 x 9	ca. 65 A	3S 3.200 mAh	ca. 5.900
ASW 22 b		5,1 m	5,2 kg	KIRA 600-16 6,7:1	KOLIBRI 60 LV	18,5 x 12	ca. 30 A	6S 2.200 - 2.500 mAh	ca. 4.600
				KIRA 600-16 6,7:1	JIVE Pro 80+ HV	18 x 11	ca. 30 A	7S 2.200 - 2.500 mAh	ca. 5.400
				KIRA 600-16 6,7:1	JIVE Pro 80+ HV	18 x 9	ca. 32 A	8S 2.200 - 2.500 mAh	ca. 6.200
				KIRA 600-17 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 34 A	6S 2.200 - 2.500 mAh	ca. 5.300
				KIRA 600-17 6,7:1	JIVE Pro 80+ HV	18 x 9	ca. 37 A	7S 2.200 - 2.500 mAh	ca. 6.100
				KIRA 600-20 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 36 A	5S 2.500 - 3.200 mAh	ca. 5.300
				KIRA 600-20 6,7:1	KOLIBRI 60 LV	18 x 9	ca. 42 A	6S 2.500 - 3.200 mAh	ca. 6.300
				KIRA 600-22 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 45 A	5S 2.500 - 3.200 mAh	ca. 5.600
				KIRA 600-22 6,7:1	KOLIBRI 90 LV	18 x 9	ca. 52 A	6S 3.200 mAh	ca. 6.700
				KIRA 600-24 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 42 A	4S 2.500 - 3.200 mAh	ca. 5.200
				KIRA 600-24 6,7:1	KOLIBRI 90 LV	18 x 9	ca. 55 A	5S Lipo 3.200 mAh	ca. 6.300
				KIRA 600-30 6,7:1	KOLIBRI 90 LV	18,5 x 12	ca. 52 A	3S 3.200 mAh	ca. 4.500
				KIRA 600-30 6,7:1	KOLIBRI 90 LV	18 x 9	ca. 60 A	4S 3.200 mAh	ca. 6.000
				KIRA 600-38 6,7:1	KOLIBRI 90 LV	17 x 9	ca. 65 A	3S 3.200 mAh	ca. 5.900

	Modell / model	Spannweite / wingspan	Gewicht / weight	Motor / motor	Regler / ESC	Luftschraube / propeller	Strom A / current A	Zellen / cells	Drehzahl (1/min) / KV (1/min)
<b>Segler bis 7,0 kg / glider up to 7,0 kg</b>	Alpina 4001, Thermik xxxl, ASH 24	4,0 - 5,0 m	5,6 - 6,2 kg	KIRA 600-16 6,7:1	KOLIBRI 60 LV	18,5 x 12	ca. 30 A	6S 2.200 - 2.500 mAh	ca. 4.600
				KIRA 600-16 6,7:1	JIVE Pro 80+ HV	18 x 11	ca. 30 A	7S 2.200 - 2.500 mAh	ca. 5.400
				KIRA 600-16 6,7:1	JIVE Pro 80+ HV	18 x 9	ca. 32 A	8S 2.200 - 2.500 mAh	ca. 6.200
				KIRA 600-17 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 34 A	6S 2.200 - 2.500 mAh	ca. 5.300
				KIRA 600-17 6,7:1	JIVE Pro 80+ HV	18 x 9	ca. 37 A	7S 2.200 - 2.500 mAh	ca. 6.100
				KIRA 600-20 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 36 A	5S 2.500 - 3.200 mAh	ca. 5.300
				KIRA 600-20 6,7:1	KOLIBRI 60 LV	18 x 9	ca. 42 A	6S 2.500 - 3.200 mAh	ca. 6.300
				KIRA 600-22 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 45 A	5S 2.500 - 3.200 mAh	ca. 5.600
				KIRA 600-22 6,7:1	KOLIBRI 90 LV	18 x 9	ca. 52 A	6S 3.200 mAh	ca. 6.700
				KIRA 600-24 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 42 A	4S 2.500 - 3.200 mAh	ca. 5.200
				KIRA 600-24 6,7:1	KOLIBRI 90 LV	18 x 9	ca. 55 A	5S Lipo 3.200 mAh	ca. 6.300
				KIRA 600-30 6,7:1	KOLIBRI 90 LV	18,5 x 12	ca. 52 A	3S 3.200 mAh	ca. 4.500
			KIRA 600-30 6,7:1	KOLIBRI 90 LV	18 x 9	ca. 60 A	4S 3.200 mAh	ca. 6.000	
			KIRA 600-38 6,7:1	KOLIBRI 90 LV	17 x 9	ca. 65 A	3S 3.200 mAh	ca. 5.900	
<b>Segler bis 10,0 kg / glider up to 10,0 kg</b>	Fox MDM	3,2 m	7 kg	KIRA 600-16 6,7:1	KOLIBRI 60 LV	18,5 x 12	ca. 30 A	6S 2.200 - 2.500 mAh	ca. 4.600
		3,2 m	8 kg	KIRA 600-16 6,7:1	JIVE Pro 80+ HV	18 x 11	ca. 30 A	7S 2.200 - 2.500 mAh	ca. 5.400
		3,2 m	9 kg	KIRA 600-16 6,7:1	JIVE Pro 80+ HV	18 x 9	ca. 32 A	8S 2.200 - 2.500 mAh	ca. 6.200
		3,2 m	10 kg	KIRA 600-17 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 34 A	6S 2.200 - 2.500 mAh	ca. 5.300
	FS5000	5,24 m	ca. 7,8 kg	KIRA 600-22 6,7:1	KOLIBRI 90 LV	18,5x10	ca. 52A	6S 2.650 mAh	ca.6.400
		5,24 m	ca. 7,8 kg	MINIPYRO 400-15 5,2:1	KOLIBRI 90 LV	20x11	ca. 77A	6S 3.200 mAh	ca.5.500
<b>F3J / F3B</b>	Schlanker Rumpf			KIRA 480-26 5,2:1	KOLIBRI 60 LV	16 x 10	ca. 32 A	3S 2.200 - 2.500 mAh	ca. 4.600
	<i>slim fuselage</i>			KIRA 480-26 5,2:1	KOLIBRI 60 LV	14 x 7	ca. 29 A	4S 2.200 - 2.500 mAh	ca. 6.800
				KIRA 480-31 5,2:1	KOLIBRI 60 LV	15 x 8	ca. 35 A	3S 2.200 - 2.500 mAh	ca. 6.000
				KIRA 480-31 5,2:1	KOLIBRI 60 LV	13 x 7	ca. 34 A	4S 2.200 - 2.500 mAh	ca. 8.300
	Tragi 801 X Cluster	3,5 m	2 kg	KIRA 480-26 5,2:1	KOLIBRI 60 LV	16 x 10	ca. 32 A	3S 2.200 - 2.500 mAh	ca. 4.600
		3,5 m	3 kg	KIRA 480-26 5,2:1	KOLIBRI 60 LV	14 x 7	ca. 29 A	4S 2.200 - 2.500 mAh	ca. 6.800
		3,5 m	4 kg	KIRA 480-31 5,2:1	KOLIBRI 60 LV	15 x 8	ca. 35 A	3S 2.200 - 2.500 mAh	ca. 6.000
		3,5 m	5 kg	KIRA 480-31 5,2:1	KOLIBRI 60 LV	13 x 7	ca. 34 A	4S 2.200 - 2.500 mAh	ca. 8.300
	Sharpwind, Xperience pro	3,3 - 3,4 m	2,3 - 2,7 kg	KIRA 480-26 5,2:1	KOLIBRI 60 LV	16 x 10	ca. 32 A	3S 2.200 - 2.500 mAh	ca. 4.600
				KIRA 480-26 5,2:1	KOLIBRI 60 LV	14 x 7	ca. 29 A	4S 2.200 - 2.500 mAh	ca. 6.800
				KIRA 480-31 5,2:1	KOLIBRI 60 LV	15 x 8	ca. 35 A	3S 2.200 - 2.500 mAh	ca. 6.000
				KIRA 480-31 5,2:1	KOLIBRI 60 LV	13 x 7	ca. 34 A	4S 2.200 - 2.500 mAh	ca. 8.300
				KIRA 500-26 6,7:1	KOLIBRI 60 LV	18,5 x 12	ca. 35 A	3S 2.200 - 2.500 mAh	ca. 4.000
				KIRA 500-26 6,7:1	KOLIBRI 60 LV	18 x 9	ca. 40 A	4S 2.500 - 3.200 mAh	ca. 5.300
				KIRA 500-26 6,7:1	KOLIBRI 60 LV	16 x 8	ca. 38 A	5S 2.500 - 3.200 mAh	ca. 6.800
				KIRA 500-30 6,7:1	KOLIBRI 60 LV	18 x 11	ca. 40 A	3S 2.200 - 2.500 mAh	ca. 4.600
			KIRA 500-30 6,7:1	KOLIBRI 90 LV	17 x 9	ca. 50 A	4S 2.500 - 3.200 mAh	ca. 6.000	
			KIRA 500-36 6,7:1	KOLIBRI 90 LV	17 x 9	ca. 50 A	3S 2.200 - 2.500 mAh	ca. 5.400	

	Modell / model	Spannweite / wingspan	Gewicht / weight	Motor / motor	Regler / ESC	Luftschraube / propeller	Strom A / current A	Zellen / cells	Drehzahl (1/min) / KV (1/min)
Hotliner	Lift OFF Rocket	1,9 m	0,8 kg	KIRA 500-30 6,7:1	KOLIBRI 90 LV	15 x 16s	ca. 60 A	4S 2.500 - 3.200 mAh	ca. 6.000
				KIRA 500-30 6,7:1	KOLIBRI 140 LV	15 x 16s	ca. 100 A	5S 2.500 - 3.200 mAh	ca. 7.000
				KIRA 500-36 6,7:1	KOLIBRI 140 LV	16 x 16s	ca. 100 A	4S 2.500 - 3.200 mAh	ca. 6.100
				KIRA 600-24 6,7:1	KOLIBRI 90 LV	16 x 16s	ca. 75 A	5S 2.500 - 3.200 mAh	ca. 6.000
				KIRA 600-30 6,7:1	KOLIBRI 90 LV	16 x 16s	ca. 80 A	4S 3.200 mAh	ca. 5.700
				KIRA 600-30 6,7:1	KOLIBRI 140 LV	16 x 16s	ca. 115 A	5S 3.200 mAh	ca. 6.750
				KIRA 600-38 6,7:1	KOLIBRI 140 LV	15 x 16s	ca. 120 A	4S 3.200 mAh	ca. 7.050
				KIRA F5F/4S FAI		15 x 16	ca. 200 A	4S 3.200 mAh	
	Lift OFF XXS	1,22 m		KIRA 480-34 5,2:1	KOLIBRI 60 LV	13 x 11	ca. 38 A	3S 2.500 mAh	ca. 6.600
		1,22 m		KIRA 480-38 5,2:1	KOLIBRI 60 LV	13 x 11	ca. 50 A	3S 2.000 mAh	ca. 7.200
		1,22 m		KIRA 500-30 6,7:1	KOLIBRI 90 LV	15 x 16s	ca. 60 A	4S 2.500 mAh	ca. 6.000
	Hawk F5B	1,7 m	0,6 kg	KIRA 500-30 6,7:1	KOLIBRI 90 LV	15 x 16s	ca. 60 A	4S 2.500 - 3.200 mAh	ca. 6.000
				KIRA 500-30 6,7:1	KOLIBRI 140 LV	15 x 16s	ca. 100 A	5S 2.500 - 3.200 mAh	ca. 7.000
				KIRA 500-36 6,7:1	KOLIBRI 140 LV	16 x 16s	ca. 100 A	4S 2.500 - 3.200 mAh	ca. 6.100
				KIRA 600-24 6,7:1	KOLIBRI 90 LV	16 x 16s	ca. 75 A	5S 2.500 - 3.200 mAh	ca. 6.000
				KIRA 600-30 6,7:1	KOLIBRI 90 LV	16 x 16s	ca. 80 A	4S 3.200 mAh	ca. 5.700
				KIRA 600-30 6,7:1	KOLIBRI 140 LV	16 x 16s	ca. 115 A	5S 3.200 mAh	ca. 6.750
				KIRA 600-38 6,7:1	KOLIBRI 140 LV	15 x 16s	ca. 120 A	4S 3.200 mAh	ca. 7.050
				KIRA F5F/4S FAI		15 x 16	ca. 200 A	4S 3.200 mAh	
	Lift OFF XS	1,6 m	1,5 kg	KIRA 480-34 5,2:1	KOLIBRI 60 LV	13 x 11	ca. 38 A	3S 2.500 mAh	ca. 6.600
				KIRA 480-38 5,2:1	KOLIBRI 90 LV	13 x 11	ca. 50 A	3S 2.000 mAh	ca. 7.200
				KIRA 500-30 6,7:1	KOLIBRI 90 LV	15 x 16s	ca. 60 A	4S 2.500 - 3.200 mAh	ca. 6.000
				KIRA 500-36 6,7:1	KOLIBRI 140 LV	16 x 16s	ca. 100 A	4S 2.500 - 3.200 mAh	ca. 6.100
	Mini Graphite, Raketenwurm	1,9 m	1 kg	KIRA 500-30 6,7:1	KOLIBRI 90 LV	15 x 16s	ca. 60 A	4S 2.500 - 3.200 mAh	ca. 6.000
				KIRA 500-30 6,7:1	KOLIBRI 140 LV	15 x 16s	ca. 100 A	5S 2.500 - 3.200 mAh	ca. 7.000
				KIRA 500-36 6,7:1	KOLIBRI 140 LV	16 x 16s	ca. 100 A	4S 2.500 - 3.200 mAh	ca. 6.100
	F5F			KIRA F5F/4S FAI		15 x 16	ca. 200 A	4S 3.200 mAh	
	F5B			KIRA F5B/5S FAI		17 x 18G + 5°	ca. 250 A	5S 3.200 - 3.700 mAh	
				KIRA F5B/6S FAI		17 x 18G + 5°	ca. 250 A	6S 2.600 - 3.200 mAh	
	PYLON F5D			KIRA 500-58		k.a.	bis 200 A	3S 3.200 mAh	
			KIRA 500-26	KOLIBRI 90 LV	4,7 x 4,7	ca. 70 A	5S 1.800 mAh	ca.39.000	